

CTL15 LED - Ref. 164000 / CTL 15 A



Our LED signaling solution offers **100% LED lights** with no maintenance, ensuring **highly visible congestion signaling** and effective **hazard lights** for maximum safety. The **rear mounting** simplifies installation. Operating at **24V** and **ECE - EMC** approved, our lights ensure easy integration and compliance with European standards.

TECHNICAL CHARACTERISTICS

Brand	VIGNAL
Product Type	Complete lamp
Manufacturer	Chereau
Voltage	24V
Source	LED
Connector	DT4
Mounting Direction	Horizontal
Side	Left/Right
Cable Length	440 mm
Shape	Rectangle
Fixation Bolt Distance	150 mm
Depth	29 mm
Main Functions	Indicator, Stop, Position
IP protection	IP6K9K
ECE	E2 16005, ECE
Industry	Agriculture, Construction, Forestry, Handling and Forklifts, Mining, Trucks, Vans

www.vignal-group.com - contact@vignal-group.com

France Lyon HQ : +33 (0)4 72 917 917
 France Caen : +33 (0)2 31 74 73 13
 France Le Mans : +33 (0)2 43 50 14 14

Switzerland Rancate : +41 (0) 91 640 50 80
 US Mosinee : +1 715 693 1530
 China Changzhou : +86 137 7686 3469




Print date : 22/06/2026

CTL15 LED - Ref. 164000 / CTL 15 A



and Chassis cab

OTHER VISUALS



ACCESSORIES



D14436

Connectors - Repair kit connector Deutsch 4-way DT 06-4S female



D14434

Connectors - Repair kit connector Deutsch 4-way DT 04-4P male



D14437

Connectors - Repair kit connector Deutsch 4 way DTM06-4S female



D14435

Connectors - DTM04-4P Deutsch 4-way male connector repair kit

CTL15 LED - Ref. 164000 / CTL 15 A



R14339

**ACC - Harness
connector Deutsch 4
pin for BL15 8,5 m**



R14338

**ACC - Harness
connector Deutsch 4
pin for CTL15 8,5 m**