

LC12 LED - Ref. 161280 / LC12 LED GT 12L / 1370066 / SARR 85LC12LEDGT12L



## TECHNICAL CHARACTERISTICS

|                        |                                                                                                                                                                                                                             |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand                  | VIGNAL                                                                                                                                                                                                                      |
| Product Type           | Complete lamp                                                                                                                                                                                                               |
| Manufacturer           | Omeps, Schmitz                                                                                                                                                                                                              |
| Voltage                | 24V                                                                                                                                                                                                                         |
| Source                 | LED                                                                                                                                                                                                                         |
| Max Current            | Additional connector N° 1 position : 0.5A (15W max), Additional connector N° 2 position : 0.5A (15W max), Additional connector N° 3 reverse : 1A (35W max), Additional connector N° 4 flashing side marker : 0.5A (15W max) |
| Connector              | AMP 1.5 - 7 pin                                                                                                                                                                                                             |
| Mounting Direction     | Horizontal                                                                                                                                                                                                                  |
| Side                   | Left                                                                                                                                                                                                                        |
| Lens Material          | Polycarbonate                                                                                                                                                                                                               |
| Shape                  | Rectangle                                                                                                                                                                                                                   |
| Fixation Bolt Distance | 152 mm                                                                                                                                                                                                                      |
| Length                 | 350 mm                                                                                                                                                                                                                      |
| Width                  | 130 mm                                                                                                                                                                                                                      |
| Depth                  | 40 mm                                                                                                                                                                                                                       |

[www.vignal-group.com](http://www.vignal-group.com) - [contact@vignal-group.com](mailto:contact@vignal-group.com)

France Lyon HQ : +33 (0)4 72 917 917  
France Caen : +33 (0)2 31 74 73 13  
France Le Mans : +33 (0)2 43 50 14 14

Switzerland Rancate : +41 (0) 91 640 50 80  
US Mosinee : +1 715 693 1530  
China Changzhou : +86 137 7686 3469



Print date : 22/06/2026


LC12 LED - Ref. 161280 / LC12 LED GT 12L / 1370066 / SARR 85LC12LEDGT12L

|                    |                                                                       |
|--------------------|-----------------------------------------------------------------------|
| Main Functions     | Dynamic indicator, Stop, Position, Reverse, Fog, Triangular reflector |
| Specific Functions | Additional connectors                                                 |
| IP protection      | IP69K                                                                 |
| EMC                | E2 10R-0516057                                                        |
| ADR                | ADR                                                                   |
| ECE                | E2 18042, ECE                                                         |
| Industry           | Trailers and Semi-trailers                                            |

APPLICATIONS

| Manufacturer | Model    | Reference | Start date | End date |
|--------------|----------|-----------|------------|----------|
| SCHMITZ      | TRAILERS | 1370066   |            |          |


OTHER VISUALS



| Détail connecteur DIN | Repérage des fonctions dans le connecteur | Fonction               |
|-----------------------|-------------------------------------------|------------------------|
| DIN connector detail  | Pinning in the connector                  | Function               |
|                       | 1                                         | Masse / Ground         |
|                       | 2                                         | Position / Tail        |
|                       | 3                                         | Recul / Reverse        |
|                       | 4                                         | Indicateur / Indicator |
|                       | 5                                         | Stop / Stop            |
|                       | 6                                         | Brouillard / Fog       |
|                       | 7                                         | Non utilisé / Not used |

Echelle : 2:1

LC12 LED - Ref. 161280 / LC12 LED GT 12L / 1370066 / SARR 85LC12LEDGT12L



## ACCESSORIES




R14364  
**EPP96 LED - EPP96 LED Strip Light, 2V Superseal 2000mm Cable**



104090  
**SMD04 LED - Side marker lamp LED 24V amber**



D14425  
**FA3 LED - Left End outline marker lamp LED 12/24V cristal...**



R14413  
**FCA - Harness 2C 2 pin Superseal F / Deutsch F**



R14412  
**CP - Flat cable with 2 pin superseal to connect on...**



D11868  
**Connectors - AMP connector 7-way female connector repair kit**



D13880  
**Connectors - SUPERSEAL 2 way female connector repair kit**



D14781  
**FA3 LC12 LED - End outline marker lamp LED left side 12/24V...**

LC12 LED - Ref. 161280 / LC12 LED GT 12L / 1370066 / SARR 85LC12LEDGT12L



D14721

**COVER - Protective  
cover for rear lamp's  
connector**